ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier			
Product Name	WHITE VERBENA ORGANIC ESSENTIAL OIL		
Substance name	Lippia alba (Mill.) N.E.Br. ex Britton & P.Wilson		
CAS No.	NÁ		
EC No.	NA		
REACH Registration No.	Exempt: tonnage band under 1 ton/year		
1.2 Relevant identified uses of the sul	ostance or mixture and uses advised against		
Identified Use(s)	Raw material for industry		
	Cosmetic products, detergents		
Uses Advised Against	Not known.		
1.3 Details of the supplier of the safet	y data sheet		
Supplier			
Company Identification	Scents From Nature - Natural Essential Oils Company, Lda		
Address of Manufacturer	Zona Industrial da Ladeira da Calça, Lote 1		
Postal code	3260-305 Figueiró dos Vinhos, Portugal		
Telephone:	(+351) 21 010 3900		
E-mail	Info@SCENTSNATURE.com		
1.4 Emergency telephone number			
National response centre			
Address	Centro de Informação Antivenenos (CIAV)		
	INEM – Instituto Nacional de Emergência Médica,		
	Rua Almirante Barroso, 36,		
	1000 – 013 LISBOA, Portugal.		
Emergency Phone No.	800 250 250		

SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 3 H226 Asp. Tox. 1 H304 Skin Irrit. 2 H315 Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Eye Irrit. 2 H319 Aquatic Chronic 3 H412 2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP) WHITE VERBENA ORGANIC ESSENTIAL OIL Product Name Substance name Lippia alba (Mill.) N.E.Br. ex Britton & P.Wilson Hazard Pictogram(s) GHS02 GHS08 GHS07 GHS09 Signal Word(s) Danger Hazard Statement(s) H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways H315 - Causes skin irritation H317: May cause na allergic skin reaction H400 - Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects. H319 Causes serious eye irritation H412 - Harmful to aquatic life with

long lasting effects.

Page: 1 - 8



# SAFETY DATA SHEET

# WHITE VERBENA ORGANIC ESSENTIAL OIL

Precautionary Statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264: Wash parts of the body (as specified by manufacturer/supplier)in contact with substance thoroughly after handling
	P260: do not breathe the dust, fume, gas, mist, vapours or spray; use explosion-proof
equipment (electrical/ventilating/lighting/etc	C.)
	P261: avoid breathing the dust, fume, gas, mist, vapours or spray; do not eat, drink or
smoke when using this product	
3 1	P271: Use only outdoors or in a well-ventilated area
	P280: Wear protective gloves/protective clothing/eye protection/face protection/hearing
as specified by manufacturer/supplier.	· · · · · · · · · · · · · · · · ·
	P273: Avoid release to the environment.
Response(s)	
	P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.
	P362, Take off contaminated clothing.
	P302+P352 IF ON SKIN: Wash with plenty of soap and water
	P333 + P313 If skin irritation or rash occurs: Get medical advice /attention.
	P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position
comfortable for breathing. Immediately call	
с ,	P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and eas	
Storago	
Storage	P405 Store locked up

P405 Store locked up. P501 The substance must be disposed in accordance with

local/regional/national/international regulation.



2.3 Other hazards

None known.

# 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances

INGREDIENT(S)		EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Lippia alba ext.	NA	NA		Flam. Liq. 3 H226 Asp. Tox. 1 H304 Skin Irrit. 2 H315 Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410 Eye Irrit. 2 H319 Aquatic Chronic 3 H412	GHS02 GHS08 GHS07 GHS09

Major constituents of the substance contributing to the classification:

INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/M	Hazard Statement(s)	Hazard Pictogram(s)
Camphor	8008- 51-3	616-922-7		Flam. Liq. 3 H226 Asp. Tox. 1 H304 Skin Irrit. 2 H315 Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS02 GHS08 GHS07 GHS09
Citral	5392- 40-5	226-394-6	24- 29%	Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319	GHS07
Limonene	5989- 27-5	227-813-5		Flam. Liq. 3 H226 Asp. Tox. 1 H304 Skin Irrit. 2 H315 Skin Sens. 1 H317 Aquatic Acute 1 H400 Aquatic Chronic 3 H412	GHS02 GHS08 GHS07 GHS09

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit. For full text of H/P Statements see section 16.

#### SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures	
Inhalation	After inhalation: Supply fresh air. If symptoms are experienced, get medical attention. In case of unconsciousness place patient stably in side position for transportation.
Skin Contact	Immediately rinse with plenty of water. Get medical attention if irritation or skin rash occurs. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye Contact	Immediately rinse with plenty of water. Remove contact lenses if present and easy to do. Hold eyelids apart and flush eyes with plenty of cool low-pressure water for several minutes. Get medical attention if irritation persists.
Ingestion	Do NOT induce vomiting. If person is conscious, rinse out mouth with water. Immediately call a doctor/physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further details.

## 4.3 Indication of any immediate medical attention and special treatment needed



Remove contaminated clothing. Remove affected person from danger area. First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport instable sideways position (recovery position). Show container, label and/or safety data sheet to physician.



5.1 Extinguishing media	
Suitable Extinguishing media	Use dry poder, foam or carbon dioxide to extinguish.
Unsuitable extinguishing media	Water jet spray
5.2 Special hazards arising from the s	
E 2. Advice for firefighters	na
5.3 Advice for firefighters	Do not attempt to fight the fire with water, which tends to feed rather than
	smother the flames.
	Small fires can be smothered by covering with earth, sand or a blanket.
	Wear self-contained breathing apparatus and chemical-protective clothing.
SECTION 6: ACCIDENTAL RELEASE M	IEASURES
6.1 Personal precautions, protective	equipment and emergency procedures
	Avoid skin and eye contact. product. Ventilate well spilling area. Keep away
	from sources of ignition. Ensure thorough ventilation of stores and work areas.
6.2 Environmental precautions	Avoid dianage into deging as a general enter as in any patient and an enter
	Avoid dispose into drainage, sewer system or in any natural environment.
	Dispose binding material, cloths and sponges according to the national law.
6.3 Methods and material for contain	
	Measures for cleaning/collecting:
	Small spills : Absorb spilled liquid with inert absorbent. Collect and seal in an
propriate container properly labelled for	
	Large spills : Stop spill if it can be done without danger. Dike. Pump as much
uid as possible with an explosion-proof p	ump or a hand pump. Absorb the remaining liquid with inert absorbent. Collect
	rly labelled for disposal. Use only non-sparking tools.
6.4 Reference to other sections	One Alex Onether 0.40
	See Also Section 8, 13.
SECTION 7: HANDLING AND STORAG	F
7.1 Precautions for safe handling	
	Ventilate the storage and preparation warehouse/laboratory. Avoid eating, drinking
	and smoking in the places where products are stored and treated. Manipulate with
	caution to avoid any projection particularly in eyes and on mucous membranes. De
	not expose vapors to the flame or quite other source of ignition. Do not inhale war
7.2 Conditions for safe storage inclu	not expose vapors to the flame or quite other source of ignition. Do not inhale war vapors.
7.2 Conditions for safe storage, inclu	not expose vapors to the flame or quite other source of ignition. Do not inhale war vapors. ding any incompatibilities
7.2 Conditions for safe storage, inclu	not expose vapors to the flame or quite other source of ignition. Do not inhale war vapors. ding any incompatibilities
7.2 Conditions for safe storage, inclu	not expose vapors to the flame or quite other source of ignition. Do not inhale war vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee
	not expose vapors to the flame or quite other source of ignition. Do not inhale war vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions.
Storage life Incompatible materials	not expose vapors to the flame or quite other source of ignition. Do not inhale war vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up.
Storage life Incompatible materials	not expose vapors to the flame or quite other source of ignition. Do not inhale war vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents.
Storage life Incompatible materials 7.3 Specific end use(s)	not expose vapors to the flame or quite other source of ignition. Do not inhale war vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known.
Storage life Incompatible materials <b>7.3 Specific end use(s)</b>	not expose vapors to the flame or quite other source of ignition. Do not inhale warr vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known.
Storage life Incompatible materials 7.3 Specific end use(s) SECTION 8: EXPOSURE CONTROLS/F	not expose vapors to the flame or quite other source of ignition. Do not inhale warn vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known.
Storage life Incompatible materials 7.3 Specific end use(s) SECTION 8: EXPOSURE CONTROLS/F 8.1 Control parameters	not expose vapors to the flame or quite other source of ignition. Do not inhale warr vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known. PERSONAL PROTECTION
Storage life Incompatible materials 7.3 Specific end use(s) SECTION 8: EXPOSURE CONTROLS/F 8.1 Control parameters 8.1.1 Occupational Exposure Limits	not expose vapors to the flame or quite other source of ignition. Do not inhale warr vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known.
Storage life Incompatible materials 7.3 Specific end use(s) SECTION 8: EXPOSURE CONTROLS/F 8.1 Control parameters 8.1.1 Occupational Exposure Limits 8.2 Exposure controls	not expose vapors to the flame or quite other source of ignition. Do not inhale warn vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known. PERSONAL PROTECTION No Occupational Exposure Limit assigned.
Storage life Incompatible materials 7.3 Specific end use(s) SECTION 8: EXPOSURE CONTROLS/F 8.1 Control parameters 8.1.1 Occupational Exposure Limits 8.2 Exposure controls	not expose vapors to the flame or quite other source of ignition. Do not inhale warn vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known. PERSONAL PROTECTION No Occupational Exposure Limit assigned. Use non-sparking ventilation systems, approved explosion-proof equipment, and
Storage life Incompatible materials 7.3 Specific end use(s) SECTION 8: EXPOSURE CONTROLS/F 8.1 Control parameters 8.1.1 Occupational Exposure Limits 8.2 Exposure controls	not expose vapors to the flame or quite other source of ignition. Do not inhale warn vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known. PERSONAL PROTECTION No Occupational Exposure Limit assigned. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation of
Storage life Incompatible materials 7.3 Specific end use(s) SECTION 8: EXPOSURE CONTROLS/F 8.1 Control parameters 8.1.1 Occupational Exposure Limits 8.2 Exposure controls	not expose vapors to the flame or quite other source of ignition. Do not inhale warr vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known. PERSONAL PROTECTION No Occupational Exposure Limit assigned. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation of breathing protection. A washing facility/water for eye and skin cleaning purposes
Storage life Incompatible materials <b>7.3 Specific end use(s)</b> SECTION 8: EXPOSURE CONTROLS/F <b>8.1 Control parameters</b> 8.1.1 Occupational Exposure Limits <b>8.2 Exposure controls</b> 8.2.1. Appropriate engineering controls	not expose vapors to the flame or quite other source of ignition. Do not inhale warr vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known. PERSONAL PROTECTION No Occupational Exposure Limit assigned. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation of
Incompatible materials	not expose vapors to the flame or quite other source of ignition. Do not inhale warr vapors. ding any incompatibilities It is recommended to keep the product in a water-tight and air-tight container. Kee away from heat and sources of ignition. Store in a cool and good ventilated area. Store locked up. Stable under normal conditions. Avoid contact with strong acids and strong oxidizing agents. Not known. PERSONAL PROTECTION No Occupational Exposure Limit assigned. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation of breathing protection. A washing facility/water for eye and skin cleaning purposes

Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



## SAFETY DATA SHEET

A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

# WHITE VERBENA ORGANIC ESSENTIAL OIL

None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Respiratory protection

Thermal hazards

## 9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Yellow
Odour	Strong and citric
Melting point/freezing point	Not determined
Boiling point or initial boiling point and	Not determined
boiling range	
Refractive index	1.44 – 1.49 (20°C)
Lower and upper explosion limit	Not known.
Flash Point	Not known
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
рН	Na
Optical rotation	-3 a +10º
Solubility	Solubility (Water): Insoluble
	Solubility (Ethanol): Soluble.
Partition coefficient n-octanol/water (log	Not known.
value)	
Vapour pressure	Not known.
Density and/or relative density	0.872 - 0.910
Relative vapour density	Not known.
Particle characteristics	Not known.
9.2 Other information	None.
	None.
SECTION 10: STABILITY AND REACTIV	ΊΤΥ
10.1 Reactivity	
	None anticipated.
10.2 Chemical Stability	
	Stable under normal conditions.
10.3 Possibility of hazardous reaction	S
	No hazardous reactions known if used for its intended purpose.
10.4 Conditions to avoid	
	Do not expose to high temperature or ignition
10.5 Incompatible materials	Do not expose to high temperature or ignition
10.5 Incompatible materials	Avoid flammable materials, PVC. Certain plastics and elastomers may not be
10.5 Incompatible materials	
10.5 Incompatible materials 10.6 Hazardous decomposition produ	Avoid flammable materials, PVC. Certain plastics and elastomers may not be compatible with the product. Test or get manufacturers recommendation prior to use.
	Avoid flammable materials, PVC. Certain plastics and elastomers may not be compatible with the product. Test or get manufacturers recommendation prior to use.

SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	Causes skin irritation. May cause na allergic skin reaction
Serious eye damage/irritation	Causes serious eye damage/ eye irritation.
Carcinogenicity	Based on the data available, the criteria for classification are not met.
Reproductive toxicity	Based on the data available, the criteria for classification are not met.
STOT-single exposure	Based on the data available, the criteria for classification are not met.
STOT-repeated exposure	Based on the data available, the criteria for classification are not met.
Aspiration hazard	May be fatal if swallowed and enters airways.





11.2 Information on other hazards

Not known.

## SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.
Not known.
Not known.
Not known.
Not classified.
Not classified.
Citral – Readily biodegradable.
Not known.
Not known.
ment
Not known.
None known.
None known.
No. Las estas
Not known.

#### SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste should be recycled or disposed of according to the legislation in force, preferably by an approved recycling or waste treatment company.

#### 13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

#### SECTION 14: TRANSPORT INFORMATION

Limited Quantities5 LExcepted QuantitiesE1Emergency Action Code3YMixed Packing Instructions for PackagesP001 IBC03 LP01 R001Special Packing Provisions for PackagesMP19Packing Instructions for Portable TanksT2Special Provisions for Portable TanksTP1Tank Code for TanksLGBFSpecial Provisions for TanksFLADR Transport Category3Tunnel Restriction CodeD/ESpecial Provisions for Carriage -V12	



Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage -	S2
Operation	
ADR HIN	30
IMDG IMDG Class	3
Special Provisions	601
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	T2
Special Provisions for Portable Tanks	TP1
	F-E, S-D
Storage and Handling	Category A
Segregation	
Marine Pollutant	
IATA Proper Shipping Name Excepted Quantities	EXTRACTS, AROMATIC, LIQUID
Passenger and Cargo Aircraft Limited	Y344
Quantities Packing Instructions	1344
Passenger and Cargo Aircraft Limited	10L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	355
Instructions	
Passenger and Cargo Aircraft Max net	60L
Qty Cargo Aircraft Packing Instructions	366
Cardo Aircraff Max net Utv	
Cargo Aircraft Max net Qty Special Provisions	220L A3
Special Provisions Emergency Response Guidebook (ERG)	220L

	Oalogoly A
Segregation	
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	EXTRACTS, AROMA
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited	Y344
Quantities Packing Instructions	
Passenger and Cargo Aircraft Limited	10L
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	355
Instructions	
Passenger and Cargo Aircraft Max net	60L
Qty	
Cargo Aircraft Packing Instructions	366
Cargo Aircraft Max net Qty	220L
Special Provisions	A3
Emergency Response Guidebook (ERG)	3L
Code	
Labels	3
Labels	3



14.4 Packing group III Packing group 14.5 Environmental hazards Environmental hazards Classified as a Marine Pollutant. 14.6 Special precautions for user Special precautions for user Not known. 14.7 Maritime transport in bulk according to IMO instruments No information available

## SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation	Not listed
REACH: ANNEX XIV list of substances subject to authorisation	Not listed
REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not listed
Community Rolling Action Plan (CoRAP) Regulation (EU) N° 2019/1021 of the	citral (5392-40-5)
European Parliament and of the Council on persistent organic pollutants	Not listed
Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer	Not listed
Regulation (EU) N° 649/2012 of the European Parliament and of the Council	Not listed
concerning the export and import of hazardous chemicals	Not listed



SAFETY DATA SHEET

# WHITE VERBENA ORGANIC **ESSENTIAL OIL**

Not known



Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

#### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

## LEGEND

Other

Hazard Pictogram(s)



GHS09: GHS: Environment

Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances IATA : International Air Transport Association IBC : Intermediate Bulk Container



ICAO : International Civil Aviation Organization IMDG : International Maritime Dangerous Goods LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulations concerning the International Carriage of Dangerous Goods by Rail STEL : Short term exposure limit STOT : Specific Target Organ Toxicity UN : United Nations vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP) data used to compile the SDS Disclaimers Information contained in this publication

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. SDS supplier gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. SDS supplier accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.